



Ass

CHILD CARE LICENSING
PROVIDER'S ASSESSMENT REPORT



Business Name: HOLY ANGEL

Physical Address: CHALAN KANG

Primary Contact Person: Jan Reyes

Contact Number: 235-2907

2nd Contact Person: Rene Reyes

Email Address: renreyes@gmail.com

Capacity: ___ Maximum: Enrolled: 13 Category(s): ___ Center Group Home: ___

Date of Assessment: August 18, 2016 Assessed By: LEILANI I. MARCIANO
Print Name

Announced: Unannounced: Visit/Monitoring

Type of Assessment: ___ Preliminary ___ Renewal

CCLP#: 988(2) Date of issued: 4/4/16 Expiration Date: 3/31/17 Capacity 43

Grouping Clause Monitoring Inspection:

- (1) Electrical (3) Emergency (5) Outdoor (7) Health (9) Other
- (2) Signage (4) Sanitary (6) Capacity (8) Documents

TRIPPING Hazard @ the connecting door in the toddler room.

Recommendation to install a small ramp to the entrance of the toddler room and the bathroom next to the kitchen.

AMY

SAFETY & HEALTH	Yes	No	*Note(s)
<p>(1) Electrical cords securely installed on the wall, ceiling, walls and does not cross pathways. The facility indoor must designate and area for any kind of hazards such as; (sharp objects/edges, rust, chemical, etc.) in a secured area with locks at no access for the children. The facility has a safety padding on all areas of the children(s) presence to prevent from slipping or any type of injury.</p>	✓		The outlet plate needs to be replaced
<p>All outlets must be covered or blocked off (from a height of 7ft, and below; BSC recommendation) for electric shock safety purposes.</p>	✓		
<p>(2) CCLP Licenses annual (60 days prior to the expiration date)</p>	✓		
<p>“No Smoking” and “Exit” signs posted around the facility/home vicinity at least 2 “Exit Door access” and smoking not allowed within the vicinity.</p>	✓		
<p>Provider does educate and explain to the children the procedure of the emergency evacuation plans and posted at child’s eye level of every entrance/exit doors.</p>	✓		
<p>Caregiver 18 years old or older</p>	✓		
<p>(3) Provider must have post evacuation plans/signs to an emergency exit</p>	✓		
<p>The facility or home/vicinity is equipped with a functional alarm smoke detectors mounted in each enclosed rooms.</p>	✓		
<p>The facility or home is equipped with a fire extinguisher unit and is view, safe and at a convenient space.</p>	✓		
<p>The Provider has a telephone landline installed within the facility/home/vicinity for communication purposes with emergency contacts posted</p>	✓		
<p>Create; post and practice involvement of the Emergency Evacuation plans and access.</p>	✓		
<p>Hand book states center rate, enrollment, staff supervision schedule, daily activities schedule, emergency evacuation procedures, and alternative site.</p>	✓		
<p>(3) First Aid kit is accessible and stationed at a noticeable space and must be updated at all times</p>	✓		
<p>Conduct emergency and disaster drills once a month and continued being practiced thereafter</p>	✓		
<p>Disaster drills (tsunami/earthquake/fire/flood)is conducted once every 6 months</p>	✓		
<p>CCLP will conduct announced/unannounced emergency/disaster drills</p>	✓		
<p>Car seat are readily available upon transporting children with seat belt on. The facility’s interior is in a good sanitary condition and odor free to include ample space for children and provider’s movement.</p>	✓		
<p>(4) Provide isolation area with clean, safe and pleasant space for a sick child separating from the other children while under the providers care.</p>	✓		

copy

continuation	SAFETY & HEALTH	Yes	No	Note(s)
(4) Does the utilized cloth towels being replaced every other day with a cleaned towels?		✓		
Provide isolation area with clean, safe and pleasant space for a sick child separating from the other children while under the providers care.		✓		
For sanitary purpose, hand soap is a pump dispenser container.		✓		
The Children(s) toothbrushes are covered individually at all times, stored in a stance and are accessible for children to brush their teeth after meal time (morning, afternoon & bedtime)		✓		
The facility/home/vicinity installed a spotless child-size toilet or provided alternative tool that will enhance child's independence and sanitized after use		✓		
A food crumbs in the kitchen/cafeteria is being cleaned right away and being disinfected on and before meal time and the rooms are free from any kind of scent/odor.		✓		
Clean and disinfect napping area is done for each child's section @ minimum of 3 feet apart and separated by a sturdy shelve.		✓		
All cleaning chemical supplies is stored and locked away out of the children's reach.		✓		
Individual cloth towel or disposable paper towel, hand soap, and toilet tissue are provided and accessible at all times and changed daily.		✓		
Restrooms/Bathrooms disinfected, cleaned and free from odor at all times.		✓		
Naptime blankets, pillow case are being replace twice a week if necessary		✓		
Potty chairs are cleaned, disinfect at every use.		✓		
(5) The outdoor playground is far from the main or street access road.		✓		
The outdoor playground must be enclosed/fenced and gated area.		✓		
The playground is free from hazards (tripping hazards, sharp edges, rust, slippery risks, chemical pollutions, etc.).		✓		CUC power
Outdoor equipment's are in good condition and age appropriate.		✓		
Outdoor playground is far from the main access road with a enclosed fenced gated or solid wall				
Outdoor playground is hazardous free(tripping, sharp edges, rust, etc.)				
(6) Outdoor meets a minimum 33% of facility capacity at 70sq. footage of space per child.				
Interior space accommodates a minimum of 35sq. footage of space per child.				
Providers accommodate children's learning space with 35 sq. ft.				
Providers obtained the children's records of their health, vaccination, allergies, etc as well the child's allergies must be visible.				
The eating area has ample space for children and adults for proper movements				
Providers must obtained a record of the child's TB clearance annually				

INFORM MS BEL THAT THE MALOGI TREE NEEDS TO CUT DOWN, BECAUSE IT'S RISKY THE BRANCHES ARE ALMOST TO THE CUC² POWER POLE PRIMARY electrical line.

08/18

continuation	SAFETY & HEALTH	Yes	No	Note(s)
Providers obtained child's hospital number, health insurance, emergency contact person(s) & alternate contact person with working phone numbers		✓		
Vinyl mat is in use in the changing area for convenient sanitation purposes		✓		
Hand washing is performed throughout the day on and after toileting/each diaper changed or after outdoor/before and after meals.		✓		
All soiled diapers are being wrapped tight in a plastic bag and disposed in a closed sanitary bin away from the children(s) eating area and out of the children's reach		✓		
All food & formula is stored properly in a refrigerator or at the right temperature		✓		
(8) Complete CCLP required documents submitted (30 days prior to the expiration date), Business License, CCLP License, Staff Health Cert/Food Handler Cert, CPR, DPW Occupancy Permit, Sanitation Permit, Fire Inspection Report/Permit		✓		
(9) Comply with an open door policy.		✓		
Stove tops/butane stove are out of the children's reach with pots & pans secured. The changing area is in a separate room away from the children(s) eating area (kitchen/cafeteria).		N/A		
Providers & Staff does not use spanking, slapping or any kind of punishment as a means of discipline to manage the child's behavior		N/A		
Posted a comprehensible Daily Activity Schedule per grouping of children		✓		
Drinking water is available at all times, accessible to older children and infants are being offered frequently		✓		

Note(s): Refer as the inspector identify a discrepancy(ies) as mark(✓) no and informed/advised the provider with a verbal warning but will be noted or recorded.

Safety Inspector Signature: Leilani I. Marciano
 Leilani I. Marciano
 Child Care Licensing Safety Inspector

8/18/18
 Date

Provider's Signature: Jan Reyne
 Jan Reyne
 Print Name

8/18/18
 Date



Chry

Announced/Unannounced Staff / Child Inspection



Date: August 18, 2016

Time: 10:25

PRE-SCHOOL

Provider's	Staff /Child Ratio	# of Staff	meet ratio	does not meet ratio	Comments
<u>HOLY ANGEL</u>					
<u>Emy</u>	<u>6</u>	<u>1</u>	<u>✓</u>		

Note:

The children were sitting quietly eating their lunch. Ms. Imelda was assisting the children. The ages of these children are (2) 4 yrs old (3) 3 years & (1) 2 year. total of six children.

Inspector's Signature: _____

Francine
LEILANI J. MARCIANO

Print Name

Date: _____

AUGUST 18, 2016

Provider's Signature: _____

Imballester
Imelda Ballester

Print Name

Date: _____

8-18-2016



Announced/Unannounced
Staff / Child Inspection



Date: August 18, 2016 Time: 10:27
INFANTS

Provider's	Staff/Child Ratio	# of Staff	meet ratio	does not meet ratio	Comments
<u>EVELYN</u>	<u>2</u>	<u>1</u>	<input checked="" type="checkbox"/>		

Note: (1) 2 months (0) 1yrs

Inspector's Signature: LEILANI I. MARCIANO Print Name: Marciano

Date: August 18, 2016

Provider's Signature: BELUNDA PALMA Print Name: Palma

Date: 8/18/16



Announced/Unannounced Staff / Child Inspection



Date: August 18, 2016

Time: 10:30 am

TODDLER

Provider's	Staff /Child Ratio	# of Staff	meet ratio	does not meet ratio	Comments
<u>ARVIE</u>	<u>5</u>	<u>2</u>	<u>✓</u>		

Note:

(4) 3yrs old (1) 4yrs old

1 FLOATER for the TODDLER

Inspector's Signature: _____

LEILANO I. MARCIANO

Print Name

Date: _____

AUGUST 18, 2016

Provider's Signature: _____

ARVIE M. REBAMBA

Print Name

Date: _____

AUGUST 18, 2016



ABY

CHILD CARE LICENSING PROVIDER'S INSPECTION SUMMARY REPORT



Provider's Name: Holy Angel Day & Night Care Physical Address: Chalan Kaona

Contact Person: Renato S. Reyes

Contact Number: 235-2907

Category(s): √ Center Base

Group Home:

Date of Assessment: August 18, 2016

Assessed By: Leilani I. Marciano
CCLP-Safety Inspector

Type of Assessment: Preliminary Renewal Announced √ Unannounced

CCLP#: 988(2) Date of issued: 4/4/2016 Expiration Date: 3/31/2017 Capacity: 43

Staff Child Ratio

- The Provider met the Staff Child Ratio for Infant /Toddler room and the Pre-School level. Staff are present and are with the ratio capacity. An alternate staff is readily available at the rooms. **Nothing to report for any discrepancy or violations.**

(1) Electrical

Discrepancy –for safety purposes, informed Mr. Rene S. Reyes the Director that they need to replace the electrical plate for the outlet.

(2) Signage

- The NO SMOKING SIGNS and EXIT SIGNS are visible and posted on proper designated areas. **Nothing to report for any discrepancy or violations.**

(3) Emergency

- Emergency equipment's are installed at the facility (smoke detector, landline fire extinguisher) to include emergency plans posted. **Nothing to report for any discrepancy or violations.**

(4) Sanitary

- The facility is odor free, practicing sanitizing continuously prevention from any bacteria. Clean towels are provided and being replaced daily as well as soap dispenser is readily available.
Nothing to report for any discrepancy or violations.

(5) Outdoor

copy

(5) Outdoor

- The facility outdoor playground is safe for children enrolled at this Day Care Center to utilized as well as fenced and gated. **Nothing to report for any violations.** Discrepancy –for safety purposes, informed Ms. Bel that they need to cut down the trees because the branches is almost reaching the CUC Power Pole Primary Electrical Line.

(6) Capacity

- The outdoor facility for this Provider complies with the required square footage of space per child. **Nothing to report for any discrepancy or violations.**

(7) Health

- The Children's health insurance and their emergency contacts are all readily available at the Provider's facility file. The Staff practices washing their hands before and after eating as well as properly sanitized continuously counter/table/chairs tops. Infants' formula are properly stored. **Nothing to report for any discrepancy or violations.**

(8) Documents

- The facility complies with the Child Care Licensing Program required documents to be submitted. **Nothing to report for any discrepancy or violations.**

(9) Others

- Drinking water dispenser is readily available at all times for staff and children. **Nothing to report for any discrepancy or violations.**
- For safety purposes, recommendation to install a small ramp at the main entrance to the toddler room and the restroom next to the kitchen.

NOTE: Provider Assessment Monitoring Checklist is available upon request.

Signature

Leilani I. Marciano, CCLP Safety Inspector