

(5) Capacity

(6) Health

CCLP/CCDF PROVIDER INSPECTIONS SUMMARY REPORT



Provider's Name: PSS EHS C.K. Room 1 (P-2) Physical Address: Chalan Kanoa
Contact Person: Jolene Guerrero Contact Number: 664-3751/664-3760
Category(s): Center Group Home:
Date of Assessment: October 26, 2017 Assessed By: Gordon B. Salas, Safety Inspector Print Name
Type of Assessment: Preliminary Renewal Announced\forall Unannounced:
Monitoring:
CCLP#: 1008 Date of issued: 12/22/2016 Expiration Date: 12/29/2017 Capacity: 8
 Staff Child Ratio The Provider met the Staff Child Ratio for their Infants and Toddlers. The staffs are present and are within the ratio capacity at the time of inspection.
 (1) Electrical The facility complies with all the electrical safety aspects. There are no discrepancies or violations to report.
 (2) <u>Signage</u> Important signage's are visible and are posted on their designated areas. <i>There are no discrepancies or violations to report.</i>
 (3) <u>Sanitary</u> The facility is odor free. Sanitization is practiced on a daily basis to prevent bacterial buildup. Clean towels are provided and are replaced daily. Soap dispensers are readily available. <i>There are no discrepancies or violations to report.</i>
 (4) Outdoor The facility's outdoor playground is safe for the children enrolled at this Day Care Center. The playground is fenced. There are no discrepancies or violations to report.

1

• The outdoor as well as the indoor facility for this Provider complies with the required square

footage of space per child. There are no discrepancies or violations to report.



Announced/Unannounced Staff / Child Inspection



Date: 10/26/2017		· . -	Time: 9:30 a.m.			
Provider's	Staff /Child Ratio	♯ of Staff	meet ratio	does not meet	Comments	
PSS CHS C.K. Prosm /	Toddler (5)	2				
Nore:				<u> </u>	L	
	· · ·					
Inspector's Sign	ature: Curpler	·		Date: 10/2	5/21/7	
Provider's Signa	ature: Nather	MACKEANAS		Date: 10/20	1/17	





Provider's Name: PSS EHS C.K. Room 2 (P-2) Physical Address: Chalan Kanoa
Contact Person: Jolene Guerrero Contact Number: 664-3751/664-3760
Category(s): Center Group Home:
Date of Assessment: October 26, 2017 Assessed By: Gordon B. Salas, Safety Inspector Print Name
Type of Assessment: Preliminary Renewal Announced\forall Unannounced:
Monitoring:
CCLP#: <u>1008 (2)</u> Date of issued: <u>12/22/2016</u> Expiration Date: <u>12/29/2017</u> Capacity: <u>8</u>
 Staff Child Ratio The Provider met the Staff Child Ratio for their Infants and Toddlers. The staffs are present and are within the ratio capacity at the time of inspection.
 (1) Electrical The facility complies with all the electrical safety aspects. There are no discrepancies or violations to report.
 (2) <u>Signage</u> Important signage's are visible and are posted on their designated areas. <i>There are no discrepancies or violations to report</i>.
(2) (3 - 1)

(3) Sanitary

• The facility is odor free. Sanitization is practiced on a daily basis to prevent bacterial buildup. Clean towels are provided and are replaced daily. Soap dispensers are readily available. *There are no discrepancies or violations to report.*

(4) Outdoor

• The facility's outdoor playground is safe for the children enrolled at this Day Care Center. The playground is fenced. *There are no discrepancies or violations to report.*

(5) Capacity

• The outdoor as well as the indoor facility for this Provider complies with the required square footage of space per child. *There are no discrepancies or violations to report.*

(6) Health



Announced/Unannounced Staff / Child Inspection



Date: 10/26	12017	· .	Time: 9:30 a.m.			
Provider's	Staff /Child Ratio	# of Staff	meet ratio	does not meet	Comments	
PSS EHS C.K.	Taddlers (7)	3				
Room 2	·					
Nore:						
Inspector's Sign	nature: Godon Print N	Andres B. Des ame	·	Date: 18/2	£ /2017	
Provider's Sign	ature: <u>Jocely</u> Print M		· · .	Date: 10/20	120FZ	