

DEPARTMENT of COMMUNITY and CULTURAL AFFAIRS CHILD CARE LICENSING PROGRAM (DCCA/CCLP)





Business Name: Pure Love	Day Care – I	Physical	Address: Chalanking SPL).
Primary Contact Person:			Number:
			ddress:
			Inspector(s):
Type of Assessment:	PRELIMINARY _ MONITOR/VISIT _ ANNOUNCED _ FOLLOW UP _	NEW SITE _ UNANNOUNC	CONCERNS V
Category: Licens	sed _ Certifi	ied _	
Type of Child Care Service	s: FAMILY HOME _ GRO		
Capacity: Total	Occupants <u>/4/4</u> Enroll	ment N	lo. of Staff
Child Care No.: Licens	se: <u>CCL-IDS</u> CCertificate:	<u>C-007</u> E	xpiration Date: _& ・3/・ユユ_
Age-Group (Per Room – list the INFANT:	he O/L, enrollment, # present, ag K-3:		assigned): -5:
TODDLERS:	К-4:		1A SCH.: tope 7 (7th Gird.) 10 11 6 (6 Gird.) 10
Pre-service Training: #0	f Newly Approved Provider	#	of Provider Completed
Grouping Clause Monitorin (1) DOCUMENTS (5) CAPACITY	ng Inspection: (2) HEALTH (6) EMERGENCY	(3) SANITARY (7) ELECTRIC	` '

DOCUMENTATION	V	X	NOTE
(1) Without being reminded, provider submit a		1 -	TIOLE
renewed facility and/or staff required documents.			
(1-a) The renewal process of the facility/staff			
required documents is done 30 days prior to the			
document expiration date.			
(1-b) The renewal application packet was received			
within 60 days prior to the expiration of the existing			
Child Care license/certificate.			
(1-c) Directors notifies and encourages all staff to			
attend the scheduled trainings.			
(1-d) All childcare staff in a licensed (non-certified)			
center/school has accrued 15 hours of			
training/technical assistance (T/TA) based on child			
development annually.			
(1-e) Upon completed T/TA, the center director (or			
authorized person) must inform and submit			
attended staff supporting documents (of T/TA			
description, date, duration, and prove of			
attendance) for verification.			
(1-f) All childcare staff in a licensed and certified			
center/school must accrued 30 hours of T/TA based			
on child development annually.			
(1-g) Newly approved staff was informed about the			
pre-service training requirement.			
(1-h) New staff must complete the pre-service			
training within 3 months from the date of their			
approval.			
(1-i) While working to complete the pre-service			
training, the new staff is assigned to assist a		-40	
certified staff.			
(1-j) The center director (authorized persons) is			
responsible to contact Evergreen Learning (EGL)			
and register their new staff for pre-service training.			
(1-k) Documentations of enrolled children are filed			
individually.			
(1-l) Subsidized children are signed in/out on the			
attendance sheet daily.			
(1-m) Provider conforms with the open-door policy.			
****	F		
HEALTH	√	X	NOTE
(2) All enrolled children are updated with their			
medical documents (immunization, dental,	F 3		

		V	Λ	NOIL
	(2) All enrolled children are updated with their			
	medical documents (immunization, dental,			
	developmental screening, etc.).			
	(2-a) All listed staff provides a valid supporting			
	(medical) document that cleared them with			
	tuberculosis.			
1	(2-b) Health check for the registered children is			
	conducted and recorded daily.			

SANITARY	V	X	NOTE
(2-p) All trash bins are sealed with covers.			
and accessible to the children.			
(2-o) Toiletries are stationed in an area that is safe			
(hand-soap, paper towel, toilet tissue).			
(2-n) Comfort rooms are furnished with toiletries			
lavatories.			
(2-m) Facility is equipped with adequate number of		79 19	
lack of running water.			
(2-I) The use of hand sanitizer is available with the			
at the time of lathering hands with soap.			
(2-k) Proper hand-washing for 20 seconds begins			
comfort room or as necessary).			
center, before/after meals, and after the use of			
operational hours (particularly before entering the			
(2-j) Hand washing is performed throughout the			
the children.			
(2-i) The use of adaptive tools is safe and sturdy for			
safe condition for the children's use.			
(2-h) Furniture and equipment are in a good and			
educational items.			
(2-g) Facility is furnished with age-appropriate			
proper temperature.			
(2-f) Children's meals and formulas are stored at	-		
is available (Isolation Room).			
(2-e) A cozy and comfortable room for a sick child	-		
child's allergy.			
(2-d) If applicable, staff are aware of enrolled	-		
accessible to parents and CCLP/CCDF staff.			
(2-c) Records of the daily health check is	-		

	SANITARY	√	X	NOTE
	(3) The facility is generally odor-free, clean and			
	clutter-free (floors swept, work space, educational			
L	materials and bathroom clean, garbage emptied).			
	(3-a) Staff are familiar with the measurement of			
1	bleach/water for sanitizing and disinfecting.			
	(3-b) The bleach/water solution is made daily and			
1	recorded.			
	(3-c) The mixture of bleach/water is out of the			
	children's reach.			
	(3-d) All furniture, educational items are disinfected			
	daily prior to operational hours.			
	(3-e) Used educational items are sanitized before it			
L	is available for the next child use.			
	(3-f) Educational items with body secretion are			
	placed in a dirty bin to be disinfected.			
	(3-g) Educational items with human secretion are			
	stored away before it is use again.			
	(3-h) Busy surfaces are sanitized as often as			
	necessary.			

	SIGNAGES	T √	X	NOTE
	(4) The Child Care License/Certificate must be	+ •	11	NOTE
1	posted in a conspicuous area.			
	(4-a) Posting of the facility's required documents is			
	at view and are updated.			
	(4-b) Staff required documents are valid, filed			
	individually and accessible for review.			
	(4-c) "No Smoking" and/or "Exit" signs are posted			
	in an appropriate area and is noticeable.			
	(4-d) Evacuation plan is posted beside all	+		
Ì	entrance/exit doors.			News to be posted
1	(4-e) Emergency contact number is posted near			, ,
	the working telephone landline.			
ŀ	(4-f) Certificate of occupant and the latest			
	approved floor plan is posted at visitors' view.			
t	(4-a) Daily activities school is posted at a city in			
	(4-g) Daily activities schedule is posted at visitor's view.			
-	(4-h) DCCA/CCLP's and CCDF's contact			
	information is posted at parents being			
L	information is posted at parents/visitors view.			
Γ	CADACIMY	· ·		
F	CAPACITY (5) The total number of the first transfer to the first transfer transfer to the first transfer transfer to the first transfer	√	X	NOTE
	(5) The total number of staff and enrolled children			
-	is within the facility's approved occupants.			
F	(5-a) The staff/child ratio is met in each age group.			
1	(5-b) In an event the assigned staff has to leave			
ŀ	the group of children, an alternate staff is provided.			
	(5-c) A center with 50 or more registered children,			
ľ	the director may teach and not be counted in the	1		
_	ratio.			
	(5-d) With the exceptions of an emergency, special			
	situation (but not to exceed 10 hours per week), or			
	during the first and last hour of operation in a full			
L	day operation center directors to be counted.			
	(5-e) Children's roster with assigned staff is			
	provided monthly.			
	(5-f) Provider notify the CCLP with any revision of			
	the approved staffing.			
Г				
-	EMERGENCY (6) Provider's surrout	√	X	NOTE
	(6) Provider's current emergency preparedness			
	and response plan (EPRP) is approved by the			
	Child Care Program.			
	(6-a) Submission of the changes to the approved			
	EPRP is within 5 days from the date of revision.			
	(6-b) Staff are aware of the EPRP and their			
	responsibility.			
	(6-c) Facility is equipped with at least 2			
-	entrance/exit doors.			

(6-d) All entranges levits de ore and level 1	_		1			
(6-d) All entrances/exits doors are kept clear of clutter and etc.						
(6-e) Emergency drills (alternating) are performed	-	-				
and recorded monthly.						
(6-f) Disaster drills (alternating) are conducted and						
recorded every six months.						
(6-g) Records of all drills are accessible.						
(6-h) Facility is equipped with adequate number of						
fire extinguisher as recommended by DFEMS.						
(6-i) Fire extinguisher is located in a safe and				<u> </u>		_
convenient space.						
(6-j) First aid kit is available and accessible.		1				
(6-k) First aid kit is filled with update medical						
supplies.						
(6-I) Facility is furnished with sufficient number of						
smoke detectors.						
(6-m) Smoke alarm are installed in each enclosed						
room of the facility.						
(6-n) In the event a child gets hurt in the center,						
the accident must be recorded.						
(6-o) Parents are notified immediately if their child						
is injured (minor/major) in the center.						
(6-p) An incident report (minor/major) is issued to						
the parents on the day of the accident.						
(6-q) Incidents that involve medical professions						
(6-q) Incidents that involve medical professions						
(6-q) Incidents that involve medical professions and/or enforcers must be reported to CCLP.						
(6-q) Incidents that involve medical professions and/or enforcers must be reported to CCLP. ELECTRICAL	√	X		NOT	₹.	
(6-q) Incidents that involve medical professions and/or enforcers must be reported to CCLP. ELECTRICAL (7) Fuse box is covered and located out of	√	X		NOT	£	
(6-q) Incidents that involve medical professions and/or enforcers must be reported to CCLP. ELECTRICAL (7) Fuse box is covered and located out of children's reach.	√	X		NOT	₹.	
(6-q) Incidents that involve medical professions and/or enforcers must be reported to CCLP. ELECTRICAL (7) Fuse box is covered and located out of children's reach. (7-a) Electrical outlets not in use are covered	√	X		NOT	Ξ.	
(6-q) Incidents that involve medical professions and/or enforcers must be reported to CCLP. ELECTRICAL (7) Fuse box is covered and located out of children's reach. (7-a) Electrical outlets not in use are covered properly or blocked from children's reach.	√	X		NOT	E	
(6-q) Incidents that involve medical professions and/or enforcers must be reported to CCLP. ELECTRICAL (7) Fuse box is covered and located out of children's reach. (7-a) Electrical outlets not in use are covered properly or blocked from children's reach. (7-b) Overload of an electrical outlet is avoided.	√	X		NOT	E	
(6-q) Incidents that involve medical professions and/or enforcers must be reported to CCLP. ELECTRICAL (7) Fuse box is covered and located out of children's reach. (7-a) Electrical outlets not in use are covered properly or blocked from children's reach. (7-b) Overload of an electrical outlet is avoided.	√	X		NOT	E	
(6-q) Incidents that involve medical professions and/or enforcers must be reported to CCLP. ELECTRICAL (7) Fuse box is covered and located out of children's reach. (7-a) Electrical outlets not in use are covered properly or blocked from children's reach. (7-b) Overload of an electrical outlet is avoided. (7-c) Electrical cords are securely fixed (not hanging loose).	√	X		NOT	E	
(6-q) Incidents that involve medical professions and/or enforcers must be reported to CCLP. ELECTRICAL (7) Fuse box is covered and located out of children's reach. (7-a) Electrical outlets not in use are covered properly or blocked from children's reach. (7-b) Overload of an electrical outlet is avoided. (7-c) Electrical cords are securely fixed (not hanging loose). (7-d) Electrical cords does not crossed pathways	√	X		NOT	E	
(6-q) Incidents that involve medical professions and/or enforcers must be reported to CCLP. ELECTRICAL (7) Fuse box is covered and located out of children's reach. (7-a) Electrical outlets not in use are covered properly or blocked from children's reach. (7-b) Overload of an electrical outlet is avoided. (7-c) Electrical cords are securely fixed (not hanging loose).	√	X		NOT	E	
(6-q) Incidents that involve medical professions and/or enforcers must be reported to CCLP. ELECTRICAL (7) Fuse box is covered and located out of children's reach. (7-a) Electrical outlets not in use are covered properly or blocked from children's reach. (7-b) Overload of an electrical outlet is avoided. (7-c) Electrical cords are securely fixed (not hanging loose). (7-d) Electrical cords does not crossed pathways and are out of children's reach.	√	X		NOT	E	
(6-q) Incidents that involve medical professions and/or enforcers must be reported to CCLP. ELECTRICAL (7) Fuse box is covered and located out of children's reach. (7-a) Electrical outlets not in use are covered properly or blocked from children's reach. (7-b) Overload of an electrical outlet is avoided. (7-c) Electrical cords are securely fixed (not hanging loose). (7-d) Electrical cords does not crossed pathways and are out of children's reach.	√	X		NOTI		
(6-q) Incidents that involve medical professions and/or enforcers must be reported to CCLP. ELECTRICAL (7) Fuse box is covered and located out of children's reach. (7-a) Electrical outlets not in use are covered properly or blocked from children's reach. (7-b) Overload of an electrical outlet is avoided. (7-c) Electrical cords are securely fixed (not hanging loose). (7-d) Electrical cords does not crossed pathways and are out of children's reach.						
(6-q) Incidents that involve medical professions and/or enforcers must be reported to CCLP. ELECTRICAL (7) Fuse box is covered and located out of children's reach. (7-a) Electrical outlets not in use are covered properly or blocked from children's reach. (7-b) Overload of an electrical outlet is avoided. (7-c) Electrical cords are securely fixed (not hanging loose). (7-d) Electrical cords does not crossed pathways and are out of children's reach. OUTDOOR (8) The center/school environment is free from hazardous material and chemical.						
(6-q) Incidents that involve medical professions and/or enforcers must be reported to CCLP. ELECTRICAL (7) Fuse box is covered and located out of children's reach. (7-a) Electrical outlets not in use are covered properly or blocked from children's reach. (7-b) Overload of an electrical outlet is avoided. (7-c) Electrical cords are securely fixed (not hanging loose). (7-d) Electrical cords does not crossed pathways and are out of children's reach. OUTDOOR (8) The center/school environment is free from hazardous material and chemical. (8-a) Children's playground is enclosed, shaded,						
(6-q) Incidents that involve medical professions and/or enforcers must be reported to CCLP. ELECTRICAL (7) Fuse box is covered and located out of children's reach. (7-a) Electrical outlets not in use are covered properly or blocked from children's reach. (7-b) Overload of an electrical outlet is avoided. (7-c) Electrical cords are securely fixed (not hanging loose). (7-d) Electrical cords does not crossed pathways and are out of children's reach. OUTDOOR (8) The center/school environment is free from hazardous material and chemical. (8-a) Children's playground is enclosed, shaded, and well maintained.						
(6-q) Incidents that involve medical professions and/or enforcers must be reported to CCLP. ELECTRICAL (7) Fuse box is covered and located out of children's reach. (7-a) Electrical outlets not in use are covered properly or blocked from children's reach. (7-b) Overload of an electrical outlet is avoided. (7-c) Electrical cords are securely fixed (not hanging loose). (7-d) Electrical cords does not crossed pathways and are out of children's reach. OUTDOOR (8) The center/school environment is free from hazardous material and chemical. (8-a) Children's playground is enclosed, shaded, and well maintained. (8-c) Playground is free from tripping hazards and						
(6-q) Incidents that involve medical professions and/or enforcers must be reported to CCLP. ELECTRICAL (7) Fuse box is covered and located out of children's reach. (7-a) Electrical outlets not in use are covered properly or blocked from children's reach. (7-b) Overload of an electrical outlet is avoided. (7-c) Electrical cords are securely fixed (not hanging loose). (7-d) Electrical cords does not crossed pathways and are out of children's reach. OUTDOOR (8) The center/school environment is free from hazardous material and chemical. (8-a) Children's playground is enclosed, shaded, and well maintained. (8-c) Playground is free from tripping hazards and provides soft surfacing of at least 6ft.						
(6-q) Incidents that involve medical professions and/or enforcers must be reported to CCLP. ELECTRICAL (7) Fuse box is covered and located out of children's reach. (7-a) Electrical outlets not in use are covered properly or blocked from children's reach. (7-b) Overload of an electrical outlet is avoided. (7-c) Electrical cords are securely fixed (not hanging loose). (7-d) Electrical cords does not crossed pathways and are out of children's reach. OUTDOOR (8) The center/school environment is free from hazardous material and chemical. (8-a) Children's playground is enclosed, shaded, and well maintained. (8-c) Playground is free from tripping hazards and provides soft surfacing of at least 6ft. (8-d) Playground is furnished with age-appropriate						
(6-q) Incidents that involve medical professions and/or enforcers must be reported to CCLP. ELECTRICAL (7) Fuse box is covered and located out of children's reach. (7-a) Electrical outlets not in use are covered properly or blocked from children's reach. (7-b) Overload of an electrical outlet is avoided. (7-c) Electrical cords are securely fixed (not hanging loose). (7-d) Electrical cords does not crossed pathways and are out of children's reach. OUTDOOR (8) The center/school environment is free from hazardous material and chemical. (8-a) Children's playground is enclosed, shaded, and well maintained. (8-c) Playground is free from tripping hazards and provides soft surfacing of at least 6ft. (8-d) Playground is furnished with age-appropriate equipment that are in good condition.						
(6-q) Incidents that involve medical professions and/or enforcers must be reported to CCLP. ELECTRICAL (7) Fuse box is covered and located out of children's reach. (7-a) Electrical outlets not in use are covered properly or blocked from children's reach. (7-b) Overload of an electrical outlet is avoided. (7-c) Electrical cords are securely fixed (not hanging loose). (7-d) Electrical cords does not crossed pathways and are out of children's reach. OUTDOOR (8) The center/school environment is free from hazardous material and chemical. (8-a) Children's playground is enclosed, shaded, and well maintained. (8-c) Playground is free from tripping hazards and provides soft surfacing of at least 6ft. (8-d) Playground is furnished with age-appropriate						

Exit Review & Acknowledgment:

I, MILA GROS M. SONGWW, hereby acknow the discrepancies found during the visit. Therefore, I attest frame recommended.	vledged that the CCLP staff(s) assessed and notified to address the stated deficiencies within the time
Authorized Personnel Signature/Date:	M- Symen 9/7/2041
Reported By: CCLP Staff & Signature	Date: 9-2 31
Approved By: Gordon B. Salas CCLP Supervisor	Date: 9/8/2021



DEPARTMENT of COMMUNITY and CULTURAL AFFAIRS CHILD CARE LICENSING PROGRAM

INSPECTION SUMMARY REPORT

Business Nan	ne: <u>Pure</u>	Love Day	/ Care - I
Dusiness I all	ic. ruie	rove nav	/ Care -

Physical Address: Chalan Kiya, Saipan

Primary Contact Person: Milagros M. Songcuan

Contact Number: 234-0898

2nd Contact Person: Loida A. Mallari

Email Address: gms.saipan@yahoo.com

Inspection Date: 9/7/2021 Start Time: 4:00 End Time: 4:20 pm

Assessed By: Rita N. Olopai

Type of Assessment:

Initial:

Renewal: _

Extension: √

Provisional:

Visit (Monitor): Concern: √

Announced: √

Unannounced: √

Follow-up:

Date of Last Visit

Category(s):

Licensed: √

Certified: √

FILE COPY

Type of Services:

Part 200: √

Part 300:

Part 400: √

Group Home Care: __ **Center Base:** √

Family Home Care: __

Before/After (B/A) Pro.: √ Infant/Toddler: $\sqrt{}$

Capacity:

Total Occupants 146

Enrollment 67 children

No. of Staff 22 employees

Child Care No.:

License: CCL-1055 Certificate: C-007 Expiration Date: August 31, 2022

Upon provider's request, an assessment was conducted for the two adjoined rooms recently constructed as an extension to the center to accommodate the Before and After School Program. Each room is equipped with 1 entrance/exit door, screen windows with louver, and a split type airconditioned.

Staff Child Ratio (No. of children ENROLLED / PRESENT/ CAPACITY / No. of staffs in each AGE-GROUP or room):

The first room is called Hope 6 and is approved for 10 occupants The first room is named Hope 7 and is approved for 10 occupants mm

- (1) **Documents** Not observed.
- (2) Health No deficiencies. Each room is furnished with hand sanitize and mask that are stationed in an accessible area. Equipped with a teacher's desk, child-size desks that connects with the chairs, book shelves, blackboard, projector.

Page 1 of 2 Updated: March 17, 2021





DEPARTMENT of COMMUNITY and CULTURAL AFFAIRS CHILD CARE LICENSING PROGRAM



INSPECTION SUMMARY REPORT

- (3) Sanitary No deficiencies. Each room is organized, odor free, and with manageable air circulation.
- (4) Signages Minor deficit found. The posting of the emergency evacuation plan must be at each exit door.
- (5) Capacity No discrepancies to report. According to the Director, the potential number of children has not been confirmed and 1 staff will be assigned to each room. However, each room will be occupied by 10 people at one time based on the approved floor plan.
- (6) **Emergency No deficiencies.** Each room is equipped with smoke detector, fire extinguisher, and first aid kit.
- (7) Electrical No discrepancy to report. However, the interior of the rooms appears to be dark during rainy days and the Director informed that an additional lighting will be installed.
- (8) Outdoor No discrepancy.
- (9) **Other** –

With all that is mentioned above, a proposal for approval of the extension for Pure Love Day Care-I.

NOTE: Provider Assessment Monitoring checklist is available upon request.

Reported By:

Approved By: Gordon B. Salas

CCLP Supervisor

Page 2 of 2 Updated: March 17, 2021